

ExamPrepAway

ExamPrepAway

> Contact Us Login / Register Search...

- HOME
- ALL VENDORS
- ★ GUARANTEE
- ? FAQ
- TESTIMONIALS
- CART (0)



Try **Online Engine** before you buy

We're not the only ones **happy** about ExamPrepAway Practice Material ...

56295+ customers in 100+ countries use ExamPrepAway Test Engine. Meet our customers.



<http://www.examprepaway.com/>

Latest Exam Guide & Learning Materials

Exam : QAWI301V3.0

Title : Business Objects Certified
Professional Business Objects Web
Intelligence XI 3

Vendors : Business-Objects

Version : DEMO

NO.1 Which DaysBetween() function syntax should you use to calculate the number of years since your birth, assuming the date object is Birth_date?

- A.=DaysBetween([Birth_date] ; CurrentDate) / 365.25
- B.=DaysBetween([Birth_date] , CurrentDate()) / 365.25
- C.=DaysBetween([Birth_date] ; CurrentDate()) / 365.25
- D.=DaysBetween(CurrentDate() ; [Birth_date]) / 365.25

Answer:C

NO.2 Which statement describes the performance impact that data tracking has on report refresh times, assuming that the data changes but the number of rows retrieved and the data volume stays the same?

- A.It will refresh up to three times faster.
- B.It will refresh up to three times slower.
- C.It will refresh faster each time the report is refreshed.
- D.It will refresh slower each time the report is refreshed.

Answer:B

NO.3 You are working with a set of store revenues. All stores have positive revenue values. Which formula should you use to display the variance value of the Revenue measure in your document when data tracking is active?

- A.=[Revenue]/RefValue([Revenue])
- B.=[Revenue]/PreValue([Revenue])
- C.=[Revenue]/HistValue([Revenue])
- D.=[Revenue]/BaseValue([Revenue])

Answer:A

NO.4 Which two functions can you use to concatenate the strings "England" and "New" to create the string "New England"? (Choose two.)

- A.Left()
- B.LeftPad()
- C.LeftTrim()
- D.Concatenate()

Answer:B D

NO.5 Where in Web Intelligence Rich Client interface can you see the data source for a document built on a local data source?

- A.Global Settings
- B.Report Settings
- C.Query Properties
- D.Document Properties

Answer:C

NO.6 Which two statements are true of grouping sets when using smart measures? (Choose two.)

- A.It is a set of dimensions that generates a result for a measure.
- B.It is a set of measures that generates a result for a dimension.
- C.The generated SQL includes grouping sets for all the aggregations of that dimension that are included in the report.
- D.The generated SQL includes grouping sets for all the aggregations of that measure that are included in the report.

Answer:A D

NO.7 You are using calculation contexts within an If() function. Which two are valid contexts for use in an If() function? (Choose two.)

- A.In Cell
- B.In Row
- C.In Block
- D.In Report

Answer:C D

NO.8 Which two statements are true of the Web Intelligence default behavior when performing a UNION combined query method? (Choose two.)

- A.It performs a UNION.
- B.It performs a UNION ALL.
- C.It returns all values less the duplicates.
- D.It returns all values including the duplicates.

Answer:A C

NO.9 You open a Web Intelligence document (WID) with data and want to use data tracking. The Data

Tracking button is however grayed out. Which action should you take to enable formatting of the tracked data?

- A.Contact the system administrator.
- B.Edit the document in tracking mode.
- C.Open the document in tracking mode.
- D.Enable data tracking in the Document Properties.

Answer:A

NO.10 You want to compare the sales revenue performance of the top 20% of your customers to the average

of all of your customers. You decide to apply a rank on the table that shows customers and revenue and

create a variable to show the average revenue for all customers. Which function should you use in the variable?

- A.NoFilter()
- B.NoRank()
- C.AverageAll()
- D.IgnoreFilter()

Answer:A